

MATHEMATICAL REVIEWS

SCOTT NOLLET

REFERENCES

- [1] U. Bruzzo and W. Montoya, Codimension bounds for the Noether-Lefschetz components for toric varieties, *Eur. J. Math.* 8 (2022), no. 3, 806–814; MR4498814.
- [2] C. Voisin, Schiffer variations and the generic Torelli theorem for hypersurfaces, *Compos. Math.* 158 (2022), no. 1, 89–122; MR4379048.
- [3] R. Skjelnes and G. Saeden Stahl, Explicit projective embeddings of standard opens of the Hilbert scheme of points, *J. Algebra* 590 (2022) 254–276; MR4325832.
- [4] B. Osserman, A concise introduction to algebraic varieties, *Grad. Stud. Math.* 216, American Mathematical Society, Providence, RI, 2021, xvi+259 pp.; MR4423371.
- [5] N. Arbesfeld, K-theoretic Donaldson-Thomas theory and the Hilbert scheme of points on a surface, *Algebr. Geom.* 8 (2021), no. 5, 587–625; MR4371541.
- [6] A. Schmitt, Relative geometric invariant theory, *Enseign. Math.* 67 (2021), no. 3-4, 301–330; MR4344783.
- [7] R. Lercier, Q. Liu, E. Lorenzo García and C. Ritzenthaler, Reduction type of smooth plane quartics, *Algebra Number Theory* 15 (2021), no. 6, 1429–1468; MR4324830.
- [8] A. Negut, G. Oberdieck and Q. Yin, Motivic decompositions for the Hilbert scheme of points of a K3 surface, *J. Reine Angew. Math.* 778 (2021) 65–95; MR4308613.
- [9] M. Galeotti and S. Perna, Moduli spaces of abstract and embedded Kummer varieties, *Internat. J. Math.* 32 (2021), Paper No. 2150054, 28 pp.; MR4300443.
- [10] G. Codogni, L. Tasin and F. Viviani, On some modular contractions of the moduli space of stable pointed curves, *Algebra Number Theory* 15 (2021) 1245–1281; MR4283103.
- [11] K. Heinrich, R. Skjelnes and J. Stevens, The space of twisted cubics, *Épjournal Géom. Algébrique* 5 (2021), Art. 10, 22 pp.; MR4275259.
- [12] L. Evain and M. Lederer, Biańnicki-Birula schemes in Hilbert schemes of points and monic functors, *Épjournal Géom. Algébrique* 5 (2021) Art. 7, 17 pp.; MR4275256.
- [13] L. Migliorini, V. Shende and F. Viviani, A support theorem for Hilbert schemes of planar curves, II, *Compos. Math.* 157 (2021) 835–882; MR4253138.
- [14] J. Kopper, The nef cone of the Hilbert scheme of points on rational elliptic surfaces and the cone conjecture, *Canad. Math. Bull.* 64 (2021), 216–227; MR4243005.
- [15] N. Bonala and S. Pattanayak, On the torus quotients of Schubert varieties, *Internat. J. Math.* 32 (2021), Paper No. 2150012, 26 pp.; MR4236640.
- [16] G. Ouchi, Hilbert schemes of two points on K3 surfaces and certain rational cubic fourfolds, *Comm. Algebra* 49 (2021), 1173–1179; MR4219868.
- [17] H. Nasu, Obstructions to deforming curves on an Enriques-Fano 3-fold, *J. Pure Appl. Algebra* 225 (2021), Paper No. 106677, 15 pp.; MR4200813.
- [18] A. Paul and R. Sebastian, Fundamental group schemes of Hilbert scheme of n points on a smooth projective surface, *Bull. Sci. math.* 164 (2020) 102898, 25 pp.; MR4136606.
- [19] D. Lorenzini and S. Schröer, Moderately ramified actions in positive characteristic, *Math. Z.* 295 (2020), no. 3-4, 1095–1142; MR4125682.
- [20] A. Kubota, On the minimality of the invariant Hilbert scheme associated to Popov’s $SL(2)$ -variety, *Proc. Japan Acad. Ser. A* (2020) 51–56; MR4124347.

- [21] M. Maican, Moduli of sheaves supported on curves of genus four contained in a quadric surface, *J. Algebra* 562 (2020) 148–187; MR4123736.
- [22] T. Ryan and R. Yang, Nef cones of nested Hilbert schemes of points on surfaces, *Int. Math. Res. Not. IMRN*(2020), no. 11, 3260–3294; MR4123103.
- [23] D. Johnson, Universal Series for Hilbert schemes and strange duality, *Int. Math. Res. Not. IMRN*(2020), No. 10, 3130–3152; MR4098636.
- [24] O. Debarre and A. Kuznetsov, Gushel-Mukai varieties: moduli. *Internat. J. Math.* 31 (2020), 2050013, 59 pp.; MR4083237
- [25] J. Jelisiejew, Pathologies on the Hilbert scheme of points, *Invent. Math.* 220 (2020) 581–610; MR4081138.
- [26] J. Hu and Z. Qin, On the numerical rational connectedness of the Hilbert schemes of 2-points on rational surfaces, *Manuscripta Math.* 162 (2020), 191–212; MR4079804.
- [27] M. Boggi and E. Looijenga, Deforming a canonical curve inside a quadric, *Int. Math. Res. Not. IMRN*(2020), 367–377; MR4073925.
- [28] N. Fullarton and A. Putman, The high-dimensional cohomology of the moduli space of curves with level structures, *J. Eur. Math. Soc. (JEMS)* 22 (2020) 1261–1287; MR4071327.
- [29] P. Koiran and M. Skomra, Intersection multiplicity of a sparse curve and a low-degree curve, *J. Pure Appl. Algebra* 224 (2020) 106279, 16 pp.; MR4058227
- [30] C. Lee, Worst unstable points of a Hilbert scheme, *J. Algebra* 544 (2020), 92–124; MR4024651.
- [31] K.-L. Lee, Z. Li, J. Sturm and X. Wang, Asymptotic Chow stability of toric del Pezzo surfaces, *Math. Res. Lett.* 26 (2019), no. 6, 1759–1787; MR4078694.
- [32] R. V. Martins, D. Lara, and J. Souza, On gonality, scrolls, and canonical models of non-Gorenstein curves, *Geom. Dedicata* 203 (2019) 111–133; MR4027587.
- [33] A. Krug, \mathbb{P} -functor versions of the Nakajima operators, *Algebr. Geom.* 6 (2019) 678–715; MR4009177.
- [34] I. Ganev, The wonderful compactification for quantum groups, *J. London Math. Soc. (2)* 99 (2019) 778–806; MR3977890.
- [35] J. Horiuchi and K. Shimomoto, Normal hyperplane sections of normal schemes in mixed characteristic, *Comm. Algebra* 47 (2019) 2412–2425; MR3957106.
- [36] P. Belmans, L. Fu and T. Raedschelders, Hilbert squares; derived categories and deformations, *Selecta Math. (N.S.)* 25 (2019), Art. 37, 32 pp.; MR3950704.
- [37] J. Eberhardt and S. Kelly, Mixed motives and geometric representation theory in equal characteristic, *Selecta Math. (N.S.)* 25 (2019) Art. 30, 54 pp.; MR3935029.
- [38] D. Beraldo, The topological chiral homology of the spherical category, *J. Topol.* 12 (2019) 684–703; MR3932939.
- [39] A. Javanpeykar, K. Langlois and R. Terpereau, Horospherical stacks, *Münster J. Math.* 12 (2019) 1–29; MR3928080.
- [40] D. Chen and Q. Chen, Spin and hyperelliptic structures of log twisted differentials, *Selecta Math. (N.S.)* 25 (2019) Art. 20, 42 pp.; MR3916969.
- [41] L. Caporaso and K. Christ, Combinatorics of compactified universal Jacobians, *Adv. Math.* 346 (2019) 1091–1136; MR3914907.
- [42] J. Campbell, A resolution of singularities for Drinfeld’s compactification by stable maps, *J. Algebraic Geom.* 28 (2019) 153–167; MR3875364.
- [43] A. Neeman, *The relation between Grothendieck duality and Hochschild cohomology*, Hindustan Book Agency, New Delhi, 2018, 91–126; MR3930045.
- [44] M. Halic, Semi-stable vector bundles on fibred varieties. *Eur. J. Math.* 4 (2018) 1297–1339; MR3866699.
- [45] B. Hennion, Tangent Lie algebra of derived Artin stacks. *J. Reine Angew. Math.* 741 (2018) 1–45; MR3836141.
- [46] J. Calabrese, Relative singular twisted Bondal-Orlov, *Math. Res. Lett.* 25 (2018) 393–414; MR3826827.
- [47] R. Thomas, Notes on homological projective duality, *Proc. Sympos. Pure Math.* 97.1, American Mathematical Society, Providence, RI, 2018, 585–609; MR3821163.

- [48] A. Krug, Remarks on the derived McKay correspondence for Hilbert schemes of points and tautological bundles, *Math. Ann.* 371 (2018) 461–486; MR3788855.
- [49] M. Ballard, D. Deliu, D. Favero, M. Isik, L. Katzarkov, On the derived categories of degree d hypersurface fibrations, *Math. Ann.* 371 (2018), 337–370; MR3788850.
- [50] A. du Plessis and C. T. C. Wall, The moduli space of binary quintics, *Eur. J. Math.* 4 (2018) 423–436; MR3769381.
- [51] D. Abramovich and M. Temkin, Luna’s fundamental lemma for diagonalizable groups, *Algebr. Geom.* 5 (2018) 77–113; MR3734110.
- [52] A. Bodzenta and A. Bondal, Canonical tilting relative generators, *Adv. Math.* 323 (2018) 226–278; MR3725878.
- [53] J. Alper, M. Fedorchuk, D. Smyth and F. van der Wyck, Second flip in the Hassett-Keel program: a local description, *Compos. Math.* 153 (2017), no. 8, 1547–1583; MR3705268.
- [54] O. Fujino, Injectivity theorems, *Adv. Stud. Pure Math.* 74, Mathematical Society of Japan, Tokyo, 2017, 131–157; MR3791211.
- [55] J. Heinloth, Hilbert-Mumford stability on algebraic stacks and applications to \mathcal{G} -bundles on curves, *Épjournal Geom. Algébrique* 1 (2017) Art. 11, 37 pp.; MR3758902
- [56] L. Karzarkov, A. Noll, P. Pandit and C. Simpson, Constructing buildings and harmonic maps, *Progr. in Math.* 324, Birkhäuser/Springer, Cham, 2017, 203–260; MR3727562.
- [57] A. Rizzardo, Adjoints to a Fourier-Mukai functor, *Adv. Math.* 322 (2017) 83–96; MR3720794.
- [58] M. Brown and I. Shipman, The McKay correspondence, tilting, and rationality, *Michigan Math. J.* 66 (2017) 785–811; MR3720324.
- [59] T. Bridgeland and A. Maciocia, Fourier-Mukai transforms for quotient varieties, *J. Geom. Phys.* 122 (2017) 119–127; MR3713877.
- [60] Y. Wang, Generic vanishing and classification of irregular surfaces in positive characteristics, *Trans. Amer. Math. Soc.* 369 (2017) 8559–8585; MR3710635.
- [61] S. Arkhipov and T. Kanstrup, Equivariant matrix factorizations and Hamiltonian reduction, *Bull. Korean Math. Soc.* 54 (2017), no. 5, 1803–1825; MR3708812.
- [62] J. Alper, M. Fedorchuk, D. Smyth and F. van der Wyck, Second flip in the Hassett-Keel program: a local description *Compos. Math.* 153 (2017), no. 8, 1547–1583; MR3705268.
- [63] L. Migliorini, Recent results and conjectures on the non abelian Hodge theory of curves, *Boll. Unione Mat. Ital.* 10 (2017), no. 3, 467–485; MR3691809.
- [64] P. Gallardo and E. Routis, Wonderful compactifications of the moduli space of points in affine and projective space *Eur. J. Math.* 3 (2017), no. 3, 520–564; MR3687430.
- [65] D. Arinkin, A. Căldăraru and M. Hăblicsek, Derived intersections and the Hodge theorem *Algebr. Geom.* 4 (2017), no. 4, 394–423; MR3683500.
- [66] J. Calabrese, A remark on generators of $D(X)$ and flags, *Manuscripta Math.* 154 (2017), no. 1-2, 275–278; MR3682214.
- [67] I. Cheltsov, Worst singularities of plane curves of given degree, *J. Geom. Anal.* 27 (2017), no. 3, 2302–2338; MR3667432.
- [68] D. Calaque, T. Pantev, B. Toën, M. Vaquié and G. Vezzosi, Shifted Poisson structures and deformation quantization, *J. Topol.* 10 (2017), no. 2, 483–584; MR3653319.
- [69] M. Dunajski and R. Penrose, On the quadratic invariant of binary sextics, *Math. Proc. Cambridge Philos. Soc.* 162 (2017), no. 3, 435–445; MR3628200.
- [70] M. Lahoz, E. Macrì and P. Stellari, Arithmetically Cohen-Macaulay bundles on cubic fourfolds containing a plane, *Progr. Math.* 320, Birkhäuser/Springer (2017) 155–175; MR3616010.
- [71] T. Saito, The characteristic cycle and the singular support of a constructible sheaf, *Invent. Math.* 207 (2017), no. 2, 597–695; MR3595935.
- [72] P. Goyal and S. Pattanayak, Projective normality of G.I.T. quotient varieties modulo finite groups, *Comm. Algebra* 45 (2017), no. 7, 2996–3004; MR3594575.
- [73] D. Abramovich and M. Temkin, Torification of diagonalizable group actions on toroidal schemes, *J. Algebra* 472 (2017), 279–338; MR3584880.

- [74] A. Polishchuk, Moduli of curves, Gröbner bases, and the Krichever map, *Adv. Math.* 305 (2017), 682–756; MR3570146.
- [75] M. Heusener, V. Muñoz and J. Porti, The $SL(3, \mathbb{C})$ -character variety of the figure eight knot, *Illinois J. Math.* 60 (2016), no. 1, 55–98; MR3665172.
- [76] M. Popa, Kodaira-Saito vanishing and applications, *Enseign. Math.* 62 (2016), no. 1-2, 49–89; MR3605809.
- [77] A. Isaev, On the contravariant of homogeneous forms arising from isolated hypersurface singularities, *Internat. J. Math.* 27 (2016), no. 12, 1650097, 14 pp.; MR3575921.
- [78] D. Hyeon and J. Kim, A state polytope decomposition formula *Proc. Edinb. Math. Soc.* (2) 59 (2016), no. 3, 759–776; MR3572769.
- [79] A. Polishchuk, Homogeneity of cohomology classes associated with Koszul matrix factorizations *Compos. Math.* 152 (2016), no. 10, 2071–2112; MR3570001.
- [80] D. Halpern-Leistner and I. Shipman, Autoequivalences of derived categories via geometric invariant theory *Adv. Math.* 303 (2016), 1264–1299; MR3552550.
- [81] G. Vezzosi, Quadratic forms and Clifford algebras on derived stacks, *Adv. Math.* 301 (2016) 161–203; MR3539372.
- [82] A. Zamora, Harder-Narasimhan filtration for rank 2 tensors and stable coverings, *Proc. Indian Acad. Sci.* 126 (2016) 305–327; MR3531851.
- [83] J. Alper, A. V. Asaev and N. G. Kruzhilin, Associated forms of binary quartics and ternary cubics, *Transform. Groups* 21 (2016) 593–618; MR3531742.
- [84] R. Weissauer, Vanishing theorems for constructible sheaves on abelian varieties over finite fields, *Math. Ann.* 365 (2016) 559–578; MR3498921.
- [85] Z. Wei, The full exceptional collections of categorical resolutions of curves, *J. Pure Appl. Algebra* 220 (2016) 3332–3344; MR3486305.
- [86] S. Basu and R. Mukherjee, Enumeration of curves with one singular point, *J. Geom. Phys.* 104 (2016) 175–203; MR3483831.
- [87] J. Shin, A bound for the Milnor sum of projective plane curves in terms of GIT, *J. Korean Math. Soc.* 53 (2016) 461–473; MR3465921.
- [88] A. Deopurkar, M. Fedorchuk and D. Swinarski, Toward GIT stability of syzygies of canonical curves, *Algebraic Geometry* 3 (2016) 1–22; MR3455418.
- [89] V. Kulikov and E. Shustin, On rigid plane curves, *Eur. J. Math.* 2 (2016) 208–226; MR3454098.
- [90] J. Kollár, *The Lefschetz property for families of curves*, *Contemp. Math.* 654, Centre Rech. Math. Proc., American Mathematical Society, Providence, RI, 2015, 143–154; MR3477544.
- [91] J. Hall and D. Rydh, Algebraic groups and compact generation of their derived categories of representations, *Indiana Univ. Math. J.* 64 (2015) 1903–1923; MR3436239.
- [92] V. Kulikov and E. Shustin, Duality of planar and spacial curves: new insight, *Eur. J. Math.* 1 (2015) 462–482; MR3401901.
- [93] M. De Cataldo and L. Migliorini, The projectors of the decomposition theorem are motivated, *Math. Res. Lett.* 22, (2015) 1061–1088; MR3391877.
- [94] S. Estrada, The derived category of quasi-coherent modules on an Artin stack via model structures, *Int. Math. Res. Not.* 2015 (2015) 6411–6432; MR3384483.
- [95] A. Bapat, Torus actions and tensor products of intersection cohomology, *Pacific J. Math.* 276 (2015) 19–34; MR3366026.
- [96] A. Efimov and L. Positselski, Coherent analogues of matrix factorizations and relative singular categories, *Algebra Number Theory* 9 (2015) 1159–129; MR3366002.
- [97] B. Köck and J. Tait, Faithfulness of Actions on Riemann-Roch spaces, *Canad. J. Math.* 67 (2015) 848–869; MR3361016.
- [98] N. Budur and B. Wang, Cohomology jump loci of quasi-projective varieties. *Ann. Sci. Éc. Norm. Supér.* (4) 48 (2015) 227–236; MR3335842.
- [99] D. Halpern-Leistner, The derived category of a GIT quotient, *J. Amer. Math. Soc.* 28 (2015) 871–912; MR3327537.

- [100] W. Donovan and E. Segal, Mixed braid group actions from deformations of surface singularities, *Comm. Math. Phys.* 335 (2015) 497–543; MR3314511.
- [101] A. Hefez, M.E. Hernandez and M.E. Rodrigues Hernandez, The analytic classification of plane curves with two branches, *Math. Z.* 279 (2015) 509–520; MR3299865.
- [102] T. Gómez, I. Sols and A. Zamora, A GIT interpretation of the Harder-Narasimhan filtration, *Rev. Mat. Complut.* 28 (2015) 169–190; MR3296731.
- [103] S. Casalaina-Martin, D. Jensen and R. Laza, Log canonical models and variation of GIT for genus 4 canonical curves, *J. Algebraic Geom.* 23 (2014) 727–764; MR3263667.
- [104] Nguyen Tat Thang, Admissibility of local systems for some classes of line arrangements, *Canad. Math. Bull.* 57 (2014) 658–672; MR3239130.
- [105] R. Fisette and A. Polishchuk, \mathbf{A}_∞ -algebras associated with curves and rational functions on $\mathcal{M}_{g,g}$, I, *Compos. Math.* 150 (2014) 621–667; MR3200671.
- [106] R. Di Gennaro, G. Ilardi and J. Vallès, Singular hypersurfaces characterizing the Lefschetz properties, *J. Lond. Math. Soc. (2)* 89 (2014) 194–212; MR3174740.
- [107] E. Gorsky, The equivariant Euler characteristic of moduli spaces of curves, *Adv. Math.* 250 (2014) 588–595; MR3122177.
- [108] D. Kedzierski and H. Meltzer, Schofield induction for sheaves on weighted projective lines, *Comm. Algebra* 41 (2013) 2033–2039; MR3225254.
- [109] F. Laytimi and W. Nahm, A general vanishing theorem, *Proc. Indian Acad. Sci. (Math. Sci.)* 123 (2013) 479–490; MR3146602.
- [110] M. Lelli-Chiesa, Green’s conjecture for curves on rational surfaces with an anticanonical pencil, *Math. Z.* 275 (2013) 899–910; MR3127041.
- [111] J. Migliore and U. Nagel, Numerical Macaulification, *Clay Math. Proc.* 18, American Mathematical Society, Providence, RI, 2013, 509–534; MR3114954.
- [112] M. Fedorchuk and D. Smyth, Stability of genus five canonical curves, *Clay Math. Proc.* 18, American Mathematical Society, Providence, RI, 2013, 281–310; MR3114945.
- [113] C. Faber, Tautological algebras of moduli spaces of curves, *IAS/Park City Math. Ser.* 20, American Mathematical Society, Providence, RI, 2013, 197–219; MR3114686.
- [114] N. Giansiracusa, Conformal blocks and rational normal curves, *J. Algebraic Geom.* 22 (2013) 773–793; MR3084722.
- [115] D. I. Smyth, Towards a classification of modular compactifications of $\mathcal{M}_{g,n}$, *Invent. Math.* 192 (2013) 459–503; MR3044128.
- [116] E. Gorsky, Arc spaces and DAHA representations, *Sel. Math. (N.S.)* 19 (2013) 125–140; MR3022754.
- [117] J. Alper, M. Fedorchuk and D. Smyth, Finite Hilbert stability of (bi)canonical curves, *Invent. Math.* 191 (2013) 671–718; MR3020172.
- [118] B. Bhatt, Derived splinters in positive characteristic, *Compositio Math.* 148 (2012) 1757–1786; MR2999303.
- [119] V. Alexeev and D. Swinarski, Nef divisors on $\overline{M}_{0,n}$ from GIT, *EMS Ser. Congr. Rep.*, European Mathematical Society (EMS), Zürich, 2012, 1–21; MR2987650.
- [120] B. Howard, J. Millson, A. Snowden and R. Vakil, The ideal for relations for the ring of invariants of n points on the line: integrality results, *Comm. Algebra* 40 (2012) 3884–3902; MR2982905.
- [121] N. Giansiracusa and A. Gibney, The cone of type A, level 1, conformal blocks divisors, *Adv. Math.* 231 (2012) 798–814; MR2955192.
- [122] N. Pagani, The orbifold cohomology of moduli of hyperelliptic curves, *Int. Math. Res. Not. IMRN* 2012, no. 10, 2163–2178; MR2923163.
- [123] S. Giuffrida, R. Maffioni and R. Re, Multiplications of maximal rank in the cohomology of $\mathbb{P}^1 \times \mathbb{P}^1$, *Collect. Math.* 63 (2012) 1–10; MR2887107.
- [124] M. De Cataldo, The perverse filtration and the Lefschetz hyperplane theorem, II, *J. Algebraic Geom.* 21 (2012) 305–345; MR2877437.
- [125] B. Howard, J. Millson, A. Snowden and R. Vakil, The ideal of relations for the ring of invariants of n points on the line, *J. Eur. Math. Soc.* 14 (2012) 1–60; MR2862033.

- [126] Y.-H. Kiem and H.-B. Moon, Moduli spaces of weighted pointed stable rational curves via GIT, *Osaka J. Math.* 48 (2011) 1115–1140; MR2871297.
- [127] U. Bhosle, Coherent systems on a nodal curve of genus one, *Math. Nachr.* 284 (2011) 1829–1845; MR2838285.
- [128] T. Shirane, Families of Galois closure curves for plane quintic curves, *J. Algebra* 342 (2011) 175–196; MR2824536.
- [129] M. Radulescu, S. Radulescu and E. Cabral Balreira, A generalization of the Fujisawa-Kuh global inversion theorem, *Math. Anal. Appl.* 382 (2011) 559–564; MR2810814.
- [130] I. Morrison and D. Swinarski, Gröbner techniques for low-degree Hilbert stability, *Exp. Math.* 20 (2011) 34–56; MR2802723.
- [131] F. Fontenele and F. Xavier, Good shadows, dynamics and convex hulls of complete submanifolds, *Asian J. Math.* 15 (2011), no. 1, 9–31; MR2786463.
- [132] F. Laytimi, Generalization of Peternell, Le Potier and Schneider vanishing theorem, *Manuscripta Math.* 134 (2011) 485–492; MR2765722.
- [133] A. Gibney and D. Maclagen, Equations for Chow and Hilbert quotients, *Algebra and Number Theory* 4 (2010) 855–885; MR2776876.
- [134] F. Laytimi and D. S. Nagaraj, Vanishing theorems for vector bundles generated by sections, *Kyoto J. Math.* 50 (2010) 469–479; MR2723859.
- [135] F. Fontenele and F. Xavier, A Riemannian Bieberbach estimate, *J. Differential Geometry* 85 (2010) 1–14; MR2719407.
- [136] D. Avritzer, H. Lange and F. Ribeiro, Torsion-free sheaves on nodal curves and triples, *Bull. Braz. Math. Soc. (N.S.)* 41 (2010) 421–447; MR2718150.
- [137] M. Andrea A. de Cataldo and L. Migliorini, The perverse filtration and the Lefschetz hyperplane theorem, *Ann. of Math. (2)* 171 (2010) 2089–2113; MR2680404.
- [138] D. Hyeon and I. Morrison, Stability of tails and 4-canonical models, *Math. Res. Lett.* 17 (2010) 721–729; MR2661175.
- [139] M. Perling and G. Trautmann, Equivariant primary decomposition and toric sheaves, *Manuscripta Math.* 132 (2010) 103–143; MR2609290.
- [140] P. Aluffi and C. Faber, Limits of $\mathrm{PGL}(3)$ -translates of plane curves II, *J. Pure Appl. Algebra* 214 (2010) 526–547; MR2577661.
- [141] P. Aluffi and C. Faber, Limits of $\mathrm{PGL}(3)$ -translates of plane curves I, *J. Pure Appl. Algebra* 214 (2010) 548–564; MR2577660.
- [142] E. Balreira, Foliations and global inversion, *Comment. Math. Helv.* 85 (2010) 73–93; MR2563681.
- [143] E. Ballico, One-dimensional cones, *Int. J. Pure Appl. Math.* 56 (2009) 605–611; MR2583729.
- [144] J. Vatne, Multiple structures and Hartshorne’s conjecture, *Comm. Algebra* 37 (2009) 3861–3873; MR2573224.
- [145] I. Coskun and J. Starr, Rational curves on smooth cubic hypersurfaces, *Int. Math. Res. Not. IMRN* 2009, no. 24, 4626–4641; MR2564370.
- [146] V. Lozovanu, Regularity of smooth curves in biprojective spaces, *J. Algebra* 322 (2009) 2355–2365; MR2553204.
- [147] Bogomolov and Y. Tschinkel, Co-fibered products of algebraic curves, *Cent. Eur. J. Math.* 7 (2009) 382–286; MR2534459.
- [148] F. Laytimi and D. S. Nagaraj, Barth type vanishing theorem, *Geom. Dedicata* 141 (2009) 87–92; MR2520064.
- [149] E. Ballico, Existence or non-existence of low degree spanned rank 1 torsion free sheaves on stable curves with prescribed dual graph, *Int. J. Pure Appl. Math.* 52 (2009) 15–25; MR2515189.
- [150] E. Ballico, On the image of the canonical map of a stable pointed curve, *Int. J. Pure Appl. Math.* 52 (2009) 229–237; MR2514623.
- [151] M. Casanellas, The minimal resolution conjecture for points on the cubic surface, *Canad. J. Math.* 61 (2009) 29–49; MR2488448.
- [152] B. Howard, J. Millson, A. Snowdon and R. Vakil, The equations for the moduli space of n points on the line, *Duke Math. J.* 146 (2009) 175–225; MR2477759.

- [153] F. Xavier, The global inversion problem: a confluence of many mathematical topics, *Mat. Contemp.* 35 (2008) 241–265; MR2584187.
- [154] R. Hartshorne, I. Sabadini and E. Schlesinger, Codimension 3 arithmetically Cohen-Macaulay Gorenstein subschemes of projective N -space, *Ann. Inst. Fourier, Grenoble* 58 (2008) 2037–2073; MR2473628.
- [155] E. Ballico, Torsion free sheaves on reducible curves with only planar singularities, *Int. J. Pure Appl. Math.* 48 (2008) 361–366; MR2467173.
- [156] E. Baldwin, A GIT construction of moduli spaces of stable maps in positive characteristic, *J. Lond. Math. Soc. (2)* 78 (2008) 107–124; MR2427054.
- [157] J. Vatne, Double structures on rational space curves, *Math. Nachr.* 281 (2008) 434–441; MR2392125.
- [158] P. Ellia and A. Trambaiolli, Global generation, *Rend. Istit. Mat. Univ. Trieste* 39 (2007) 207–215; MR2441618.
- [159] R. Di Nardo, Laudal type theorems for algebraic curves, *Rend. Sem. Univ. Pol. Torino* 65 (2007) 301–311; MR2378957.
- [160] V. Di Gennaro and D. Franco, A speciality theorem for curves in \mathbf{P}^5 , *Geom. Dedicata* 129 (2007) 89–99; MR2353985.
- [161] F. Xavier, Using Gauss maps to detect intersections, *Ensiegn. Math. (2)* 53 (2007) 15–31; MR2343343.
- [162] S. Guffroy, Dimension des familles de courbes lisses sur une surface quartique normale de \mathbf{P}^3 , *Proc. Amer. Math. Soc.* 135 (2007) 3499–3505; MR2336563.
- [163] A. Assi and A. Sathaye, On quasihomogeneous curves, *Osaka Univ. Press, Osaka*, 2007, 33–56; MR2327235.
- [164] E. Ballico, Plane curves with ordinary singularities and many nodes, *Int. J. Pure Appl. Math.* 36 (2007) 269–271; MR2312539.
- [165] E. Ballico, Quadrics over \mathbb{F}_q containing a linearly normal non-special curve, *Int. J. Pure Appl. Math.* 35 (2007) 457–461; MR2311552.
- [166] E. Ballico, Bertini’s theorem over a finite field for linear systems of quadrics, *Int. J. Pure Appl. Math.* 35 (2007) 453–455; MR2311551.
- [167] E. Ballico, Base loci of homogeneous forms in the projective plane over a finite field, *Int. J. Pure Appl. Math.* 35 (2007) 173–176; MR2304170.
- [168] E. Ballico, Number of intersections of a fixed plane curve with plane conics, *Int. J. Pure Appl. Math.* 35 (2007) 147–152; MR2304166.
- [169] E. Ballico, Reducible space curves with good minimal free resolution in the range A, *Int. Math. Forum* 2 (2007) 575–582; MR2297809.
- [170] Z. Teitler, On the intersection of the curves through a set of points in \mathbb{P}^2 , *J. Pure Appl. Algebra* 209 (2007) 571–581; MR2293328.
- [171] N. Chiarli, S. Greco and U. Nagel, Families of space curves with large cohomology, *J. Algebra* 307 (2007) 704–726; MR2275369.
- [172] E. Ballico, Plane curves over finite fields with several multiseccant lines with different contact order, *Int. J. Contemp. Math. Sci.* 1 (2006) 413–416; MR2287585.
- [173] F. Laytimi and W. Nahm, A vanishing theorem, *Nagoya Math. J.* 180 (2005) 35–43; MR2186667.
- [174] M. Casanellas, E. Drozd and R. Hartshorne, Gorenstein liaison and ACM sheaves, *J. Reine Angew. Math.* 584 (2005) 149–171; MR2155088.
- [175] A. Dolcetti, Index of speciality and arithmetically Gorenstein subschemes, *Adv. Geom.* 5 (2005) 347–352; MR2154829.
- [176] G. Molica Bisci and R. Notari, Remarks on degree 4 projective curves, *J. Math. Kyoto Univ.* 45 (2005) 159–182; MR2138805.
- [177] E. Ballico, On the postulation of the multiples of the nodes for the generic nodal curves on general rational surfaces, *Result. Math.* 46 (2004) 223–226; MR2105715.
- [178] G. Berhuy and F. Giordano, Essential dimension of cubics, *J. Algebra* 278 (2004) 199–216; MR2068074.

- [179] N. Chiarli, S. Greco and U. Nagel, Normal form for space curves in a double plane, *J. Pure Appl. Algebra* 190 (2004) 45–57; 2043321.
- [180] R. Ferraro, Linkage on arithmetically Cohen-Macaulay schemes with application to the classification of curves of maximal genus, *J. Pure Appl. Algebra* 188 (2004) 95–115; MR2030808.
- [181] Y-H Kiem, Intersection cohomology of quotients of nonsingular varieties, *Invent. Math.* 155 (2004) 163–202; MR2025303.
- [182] D. Perrin, La connexité asymptotique du schéma de Hilbert des courbes gauches, *Ann. Univ. Ferrara Sez. VII (N.S.)* 49 (2003) 183–195; MR2164996.
- [183] A. Fernandes, C. Gutierrez and R. Rabanal, On local diffeomorphisms of \mathbb{R}^n that are injective, *Qual. Theory Dyn. Syst.* 4 (2004) 255–262; MR2129721.
- [184] M. Casanellas and R. M. Miró-Roig, On the Lazarsfeld-Rao property for Gorenstein liaison classes, *J. Pure Appl. Algebra* 179 (2003) 7–12; MR1957812.
- [185] F. Lang, Geometry and group structures on some cubics, *Forum Geom.* 2 (2002) 135–146; MR1940110.
- [186] E. Ballico, N. Chiarli and S. Greco, Linearly normal curves with degenerate general hyperplane section, *Hiroshima Math. J.* 32 (2002) 217–228; MR1925899.
- [187] S. Kovács, Logarithmic vanishing theorems and Arakelov-Parshin boundedness for singular varieties, *Compositio Math.* 131 (2002) 291–317; MR1905025.
- [188] C. Folegatti, On linked surfaces in \mathbb{P}^4 , *Rend. Sem. Mat. Univ. Pol. Torino* 59 (2001) 165–171; MR1977103.
- [189] M. Casanellas and R. M. Miró-Roig, Gorenstein liaison of divisors on standard determinantal schemes and on rational normal scrolls, *J. Pure Appl. Algebra* 164 (2001) 325–343; MR1857745.
- [190] J. Kleppe, J. Migliore, R. Miró-Roig, U. Nagel and C. Peterson, Gorenstein liaison, complete intersection liaison invariants and unobstructedness, *Mem. Amer. Math. Soc.* 154 (2001), no. 732, viii+116 pp.; MR1848976.
- [191] N. Manolache, Double rational normal curves with linear syzygies, *Manuscripta Math.* 104 (2001) 503–517; MR1836110.
- [192] U. Nagel, R. Notari and M. Spreafico, On the even Gorenstein liaison classes of ropes on a line, *Le Matematiche* 55 (2000) 483–498; 1984215.
- [193] U. Nagel, On the cohomology and genus of projective curves, *Le Matematiche (Catania)* 55 (2000) 339–351; MR1984205.
- [194] E. Ballico, Space curves not contained in low degree surfaces in positive characteristic, *Note Mat.* 20 (2000) 27–33; MR1897592.
- [195] K. Smith, Globally F-regular Varieties, *Michigan Math. J.* 48 (2000) 553–572; MR1786505.
- [196] J. Chipalkatti, A generalization of Castelnuovo regularity to Grassmann varieties, *Manuscripta Math.* 102 (2000) 447–464; MR1785325.
- [197] M. Casanellas and R. M. Miró-Roig, Gorenstein liaison of curves in \mathbf{P}^4 , *J. Algebra* 230 (2000) 656–664; MR1775807.
- [198] M.-C. Chang and H. Kim, The Euler number of certain primitive Calabi-Yau threefolds, *Math. Proc. Cambridge Philos. Soc.* 128 (2000) 79–86; MR1724429.
- [199] R. Hartshorne, M. Martin-Deschamps and D. Perrin, Triades et familles de courbes gauches, *Math. Ann.* 315 (1999) 397–468; MR1725989.
- [200] D. Franco and A.T. Lascu, Curves contractable in general surfaces, *Lecture Notes in Pure and Appl. Math.* 206, 93–116, Dekker, New York, 1999; MR1702101.
- [201] Ph. Ellia and R. Hartshorne, Smooth specializations of space curves: questions and examples, *Lecture Notes in Pure and Appl. Math.* 206, 53–79, Marcel Dekker, Inc., New York, 1999; MR1702099.
- [202] T. Fenske, Rational cuspidal plane curves of type $(d, d-4)$ with $\chi(\Theta_V\langle D \rangle) \leq 0$, *Manuscripta Math.* 98 (1999) 511–527; MR1690051.